	Quadrivalent Inactivated Vaccine QIV			High-Dose Trivalent Inactivated Vaccine High-dose TIV
UIIP Abbreviation				
NACI Abbreviation Vaccine product	IIV4-SD		IIV4-cc	IIV3-HD
	FluLaval Tetra	Fluzone [®] Quadrivalent	Flucelvax [®] Quad	Fluzone [®] High-Dose
Manufacturer	GSK	Sanofi Pasteur	Seqirus	Sanofi Pasteur
Vaccine type	Egg-based	Egg-based	Cell culture-based	Egg-based
Micrograms of hemagglutinin	15 µg	15 µg	15 µg	60 µg
Dosage	0.5 mL	0.5 mL	0.5 mL	0.5 mL
Format	Multidose vial	1. Multidose vial 2. Prefilled syringe	Prefilled syringe	Prefilled syringe
Route	Intramuscular injection	Intramuscular injection	Intramuscular injection	Intramuscular Injection
Age indication	≥6 months	≥6 months	≥9 years	≥65 years
Most common allergens^	Egg protein*Thimerosal	 Multidose vial Egg protein* Thimerosal Prefilled syringe Egg protein* 	Does NOT contain egg protein	● Egg protein*
Post-puncture shelf life	28 days	Multidose vial 28 days	- Not applicable	Not applicable
		Prefilled syringe Not applicable		
Package dimension (cm)	2.7 x 2.7 x 6.9	Multidose vial 3 x 2.9 x 6.2	- 15.4 x 13.02 x 2.38	10 x 9 x 2.2
		Prefilled syringe 10.4 x 8.9 x 3.8		

2020/2021 UIIP Publicly funded influenza vaccines

[^]Any component in a vaccine may be a potential allergen. This table identifies the most common allergens.

*The National Advisory Committee on Immunization (NACI) indicates that egg allergy is not a contraindication for influenza vaccination and that egg-allergic individuals may be vaccinated against influenza using the full dose of any age-appropriate product.

Important Notes:

- Fluzone[®] High-Dose is a trivalent influenza vaccine only authorized for those 65 years of age and older. Fluzone[®] Quadrivalent and Fluzone[®] High-Dose are different products. Please use caution when administering Fluzone[®] products to ensure that the right vaccine is being administered to the right person.
- Fluzone[®] High-Dose will be available through primary care providers (e.g. physicians and nurse practitioners), participating pharmacies and retirement homes, LTCHs and hospitals.
- Flucelvax[®] Quad is only authorized for children 9 years of age and over and should not be used in younger children.
- FluMist[®] will not be publicly funded for the 2020/2021 influenza season.
- Publicly funded influenza vaccines must be administered by a regulated health professional who is authorized under the *Regulated Health Professions Act, 1991* to administer vaccines, or by a trained individual under a delegation made in accordance with the requirements set by the regulatory College of the regulated health professional.
- Publicly funded vaccine may be administered to individuals who meet the eligibility criteria for the UIIP (i.e. individuals who are 6 months of age and older who live, work or study in Ontario) and without contraindications to the vaccine.
- Trained pharmacists may only administer publicly funded influenza vaccine to individuals 5 years of age and older.